



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/715,556	11/17/2000	Gwilym Francis Luff	MLNR-06501	6531
28960	7590	05/17/2004		
HAVERSTOCK & OWENS LLP 162 NORTH WOLFE ROAD SUNNYVALE, CA 94086				
			EXAMINER PERILLA, JASON M	
			ART UNIT 2634	PAPER NUMBER 10

DATE MAILED: 05/17/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/715,556

Applicant(s)

LUFF, GWILYM FRANCIS

Examiner

Jason M Perilla

Art Unit

2634

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 April 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-31 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 15 and 18 is/are rejected.
- 7) ☒ Claim(s) 2-14, 16, 17 and 19-31 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 17 November 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 4, 8.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

1. Claims 1-31 are pending in the instant application.

Information Disclosure Statement

2. The information disclosure statement (IDS) received on February 3, 2004 (paper no. 8 in the file) is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.
3. The references "AS" and "AT" of IDS paper no. 4 have been received, placed in the file, and considered.

Response to Arguments

4. Applicant's arguments filed April 14, 2004 have been fully considered but they are not persuasive.
5. The Applicant's arguments regarding the rejection of claims 1, 15, and 18 under 35 U.S.C. § 103(a) as being unpatentable over Fobbester (5663989) in view of Morris et al (5960046) has been considered but is not persuasive. The Applicant's argument plainly overlooks that the broad limitations of claims 1, 15, and 18 are disclosed by Fobbester in view of Morris et al. The Applicant asserts that Fobbester does not disclose a preamble detector receiving an input signal and providing a preamble signal recognition output. However, as the Examiner pointed out in the first office action, Fobbester discloses a preamble detector (fig. 4, ref. 11; col. 2, lines 35-38) which produces a preamble recognition signal (fig. 4, ref. 12; col. 2, lines 38-41) as broadly as claimed. Further, the Applicant insists that there is no motivation to combine the teachings of Morris et al with the disclosure of Fobbester because of the patent dates of

the prior art references with respect to the filing date of the instant application although the argument based upon such dates is inconclusive and actually irrelevant. In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971). The use of the reference Morris et al is simply used as a reference to the notoriously known fact that control signals are used. Claims 1, 15, and 18 merely provide for "the reception of a control signal" which includes no limitations concerning the purpose or supposed use of the signal. Further, no further limitations regarding the "control signal" shall be implied or assumed. Morris et al teaches the use of control signals to enable certain functions of a circuit (col. 5, lines 25-28). Such practices are commonly used in circuits because circuits which are part of integrated systems must be activated and under control or supervision. Hence, the teachings of Morris simply serve to exemplify the commonly known and used methods of control signals available in the art. The claims do not present a novel technique or application of a control signal as broadly as claimed. While the instant application may contain allowable subject matter, the Applicant will need to concede that which is already known in the art.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 1, 15, and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fobbester (5663989) in view of Morris et al (5960046).

Regarding claim 1, Fobbester discloses by figure 4 a wireless receiver (abstract) having a circuit for receiving an input signal from a transmitter including a preamble portion (col. 1, line 56), a unique word portion and/or a data portion comprising (col. 1, lines 41-42), a preamble detector (fig. 4, ref. 11; col. 1, lines 48-62) configured to receive the input signal and to provide a preamble signal (fig. 4, ref. 12) where the preamble signal is active during the preamble portion of the input signal and inactive during all portions of the input signal other than the preamble portion (col. 1, lines 48-62; col. 2, lines 38-41), a DC level set circuit configured to receive the preamble signal (fig. 4, refs. 8-10; col. 2, lines 22-42), the input signal including the preamble portion, the unique word portion and the data portion and to provide a level set signal (fig. 4, ref. 8), and a data slicer or comparator circuit coupled with the DC level set circuit to receive the level set signal and to provide the output signal (fig. 4, ref. 14 – "DATA OUT").

Fobbester does not disclose a control signal being applied to the DC level set circuit to place the DC level set circuit into operation. However, Morris et al teaches a wireless receiver system (fig. 3; abstract) using a micro-controller (fig. 3, ref. 128) to control the operation of the circuit. One skilled in the art is accustomed to activating or controlling

circuitry by the use of micro-controllers and their associated software. Therefore, it would have been obvious to one of ordinary skill in the art at the time which the invention was made to utilize a control signal to activate the DC level set circuitry as taught by Morris et al in the receiver system of Fobbester because it could be used to selectively enable the system only when desired by the system designer as is understood in the art.

Regarding claim 15, Fobbester discloses by figure 4 a method of receiving (abstract) an input signal and providing an output signal, the input signal including a preamble portion (col. 1, line 56), a unique word portion and/or a data portion (col. 1, lines 41-42), the method comprising the steps of, receiving the input signal with a preamble detector (fig. 4, ref. 11; col. 1, lines 48-62), providing a preamble signal (fig. 4, ref. 12) where the preamble signal is active during the preamble portion of the input signal and inactive during all portions of the input signal other than the preamble portion (col. 1, lines 48-62; col. 2, lines 38-41), receiving the preamble signal from the preamble detector, the input signal and the control signal with a DC level set circuit (fig. 4, refs. 8-10; col. 2, lines 22-42), providing a level set signal with the DC level set circuit (fig. 4, ref. 8), receiving the level set signal from the DC level set circuit with a data slicer circuit or comparator (fig. 4, ref. 14), and providing the output signal with the data slicer circuit (fig. 4, ref. "DATA OUT"). Fobbester does not disclose a control signal being applied to the DC level set circuit to place the DC level set circuit into operation. However, Morris et al teaches a wireless receiver system (fig. 3; abstract) using a micro-controller (fig. 3, ref. 128) to control the operation of the circuit. One skilled in the art is accustomed to

activating or controlling circuitry by the use of micro-controllers and their associated software. Therefore, it would have been obvious to one of ordinary skill in the art at the time which the invention was made to utilize a control signal to activate the DC level set circuitry as taught by Morris et al in the receiver system of Fobbester because it could be used to selectively enable the system only when desired by the system designer as is understood in the art.

Regarding claim 18, Fobbester discloses by figure 4 a circuit for receiving an input signal and providing an output signal (abstract), the input signal including a preamble portion (col. 1, line 56), a unique word portion and/or a data portion (col. 1, lines 41-42), the circuit comprising, means for receiving the input signal with a preamble detector (fig. 4, ref. 11; col. 1, lines 48-62), means for providing a preamble signal where the preamble signal is active during the preamble portion of the input signal and inactive during all portions of the input signal other than the preamble portion (col. 1, lines 48-62; col. 2, lines 38-41), means for receiving the preamble signal from the preamble detector, the input signal and the control signal with a DC level set circuit (fig. 4, refs. 8-10; col. 2, lines 22-42), means for providing a level set signal with the DC level set circuit (fig. 4, ref. 8), means for receiving the level set signal from the DC level set circuit with a data slicer circuit or comparator (fig. 4, ref. 14) and providing the output signal with the data slicer circuit (fig. 4, ref. "DATA OUT"). Fobbester does not disclose a control signal being applied to the DC level set circuit to place the DC level set circuit into operation. However, Morris et al teaches a wireless receiver system (fig. 3; abstract) using a micro-controller (fig. 3, ref. 128) to control the operation of the circuit.

One skilled in the art is accustomed to activating or controlling circuitry by the use of micro-controllers and their associated software. Therefore, it would have been obvious to one of ordinary skill in the art at the time which the invention was made to utilize a control signal to activate the DC level set circuitry as taught by Morris et al in the receiver system of Fobbester because it could be used to selectively enable the system only when desired by the system designer as is understood in the art.

Allowable Subject Matter

8. Claims 2-14, 16-17, and 19-31 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason M Perilla whose telephone number is (703) 305-0374. The examiner can normally be reached on M-F 8-5 EST.


10. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Chin can be reached on (703) 305-4714. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Jason M. Perilla
May 10, 2004

jmp



STEPHEN CHIN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600